

402204

C-2 LOGED BY ASTIA
AS AD NO.

TECHNICAL MEMORANDUM

(TM Series)

ASTIA AVAILABILITY NOTICE

Qualified requesters may obtain copies of this report from ASTIA.

This document was produced by SDC in performance of contract AF 19(628)-1648, Space Systems Division Program, for Space Systems Division, AFSC.

Combined Milestone III-IV for the
1604 Augmentation Communication Programs

By

S. Gardner, H. Frieden, R. Wise
W. Derango & D. Biggar

17 January 1963

Approved

J. B. Munson

SYSTEM

DEVELOPMENT

CORPORATION

2500 COLORADO AVE.

SANTA MONICA

CALIFORNIA

The views, conclusions or recommendations expressed in this document do not necessarily reflect the official views or policies of agencies of the United States Government.

Permission to quote from this document or to reproduce it, wholly or in part, should be obtained in advance from the System Development Corporation.

Although this document contains no classified information it has not been cleared for open publication by the Department of Defense. Open publication, wholly or in part, is prohibited without the prior approval of the System Development Corporation.



17 January 1963

A

TM-891/001/00A

CURRENT MODIFICATION

Modified Pages

11
13
14
18
19
21
22

Notes and Filing Instructions

Remove pages 11, 13, 14, 18, 19,
21 and 22 dated 20 December 1962.
Insert pages 11, 13, 14, 18, 19,
21 and 22 dated 17 January 1963.

17 January 1963

-11-

TM-891/001/00A

2. Normal Codes

A = 0	message read
A = 1	header read
A = 2	no more data (EOF found)

C. Bird Buffer - 1604 Transfer Tape

The Bird Buffer - 1604 Transfer Tape is a multiple file tape containing Headers, Tracking Messages, and Vehicle Time messages concerning any number of vehicles in any order.

Each set of data concerning a given Vehicle, Station, Revolution is a file and this file is begun by a Header record. All Messages and Headers are eight word records.

The tape is ended by two end of file marks.

See TM-(L)-834/000/01 for message formats.

V. ENVIRONMENT

SRDTRK uses TAPE.

SWRTOUT PROGRAM DESIGN

I. PROGRAM IDENTIFICATION

A. Title: Write Change Tape (SWRTOUT)

B. Calling Sequence:

L	RTJ	SWRTOUT
N		B
L+1	ERROR RETURN	
L+2	NORMAL RETURN	

where "N" is number of words in buffer starting at location "B".

II. FUNCTION

The functions of SWRTOUT are as follows:

A. Accept message block inputs.

A message block consists of one or more like messages. The maximum number of words in a message block is 511.

B. Produce a Change Tape acceptable to SMERGE.

The tape used by SMERGE consists of two or more records and is ended by an end of file. The records are header messages, or message blocks.

III. OPERATING DESCRIPTION

SWRTOUT is entered by the user program with an RTJ instruction followed by two parameters; the "B" parameter specifying the location of the input message block and the "N" parameter specifying the number of words in the message block ($1 \leq N \leq 511$). If the message block is the same type (message code) of message as in the output buffer, and the new block can be accommodated in the buffer, the block will be transferred to the

buffer. If the types differ or the buffer is not large enough, the buffer will be written prior to the transfer of the new block to the buffer. The buffer will be written if an end of input flag is sensed and the buffer has not previously been emptied.

If SWRTOUT writes the buffer on the Change Tape, a complement checksum of the buffer will be added to the record written. If a block consists of commanding messages, SWRTOUT will reread the record and verify the block, using a word-by-word comparison of a one word input buffer and the original message.

If the conditions for writing the output buffer are not met, SWRTOUT will immediately return to the user program after transferring the message block to its own output buffer.

Upon receipt of the "end of input" flag, SWRTOUT will empty its buffer, write an end of file, and transfer to SMERGE via the COPII successor call. The Change Tape will be rewound.

All error recoveries will be attempted four times before an end return is taken by SWRTOUT.

IV. INPUT/OUTPUT

A. Input Parameters

1. "N" is the number of words in the block input buffer. "N" is nine bits and occupies bits 23-15 right justified.

An "N" of zero is the end of input flag.

SMERGE PROGRAM DESIGN

I. PROGRAM IDENTIFICATION

- A. Title: Merge Change and Transfer Tapes (SMERGE)
- B. Calling Sequence: SMERGE is called by a standard COP calling sequence with no parameters required.

II. FUNCTION

SMERGE will produce an updated 1604-160A Transfer Tape and a duplicate Backup Tape from the existing Transfer Tape and the Change Tape prepared by SWRTOUT. Initially, the existing Transfer Tape will contain only an end-of-file mark and the first updated Transfer Tape will consist of the information on the Change Tape sorted into the proper order. Thereafter, the existing Transfer Tape will be the updated Transfer Tape from the last time SMERGE was operated.

III. OPERATING DESCRIPTION

SMERGE will initially request the operator to remove the old Backup Tape and mount a blank. All tapes are then rewound. Changes will be read into memory from the Change Tape until an end of file is reached or until memory is filled.

The changes will then be sorted into order of message type within station within revolution within vehicle. An indirect sort will be used to limit the amount of data movement.

The Transfer Tape will then be merged with the changes in memory, writing the updated tape on the unit which held the old Backup Tape. Any message block on the existing transfer tape which has a corresponding entry on the Change Tape will be replaced by the new information. New message blocks for a particular vehicle, revolution, and station will be

added in order of message type.

At the end of the first pass, the operator will be requested to remove the old Transfer Tape and mount a blank. Additional merges will be required if the information on the Change Tape could not all fit in memory at one time. The input and output tapes for the merge would alternate between the Transfer and Backup Tapes. When the final merge is done, the updated Transfer Tape will be copied onto the Backup Tape and SMERGE will request the operator to file protect the new tapes before returning to COP.

If an unrecoverable read error occurs on the Change Tape, no recovery is possible. If an unrecoverable read error occurs on the first pass over the Transfer Tape, SMERGE will ask the operator to mount the Backup Tape and will start over. If an unrecoverable read error occurs on a subsequent pass, SMERGE will ask the operator to mount the old Transfer Tape and will start over. An unrecoverable write error will cause SMERGE to return to the beginning of the current merge, after asking the operator to mount a new output tape.

IV. INPUT/OUTPUT

A. Change Tape

The format of the Change Tape is described in SWRTOUT.

B. Transfer Tape

The records on the Transfer Tape are in the same format as the Change Tape, but they are ordered by message type within station within revolution within vehicle.

C. Backup Tape

The Backup Tape is a copy of the Transfer Tape.

V. ENVIRONMENT

A. Subroutines Used

TAPE

B. Tape Units Used

1. Transfer Tape. Tape Number 16

Channel 5/6, Cabinet 2, Unit 1

2. Backup Tape. Tape Number 17

Channel 5/6, Cabinet 2, Unit 2

3. Change Tape. Tape Number 18

Channel 5/6, Cabinet 2, Unit 3

C. Core Storage

Program - 750 words

Storage - Remainder of memory.

VI. RESTRICTIONS

A. Tape Number 16 must be an existant Transfer Tape or a tape initialized by IRT.

B. The code for message type cannot be 00.

C. All blocks for a particular vehicle, revolution, station, and message type must appear contiguously on the Change Tape. Otherwise, the results will depend on whether or not the information on the Change Tape can all fit in memory at one time.

17 January 1963

-22-

TM-891/001/00A

REFERENCES

- A. TM-(L)-834/000/00, Bird Buffer Milestone III, 15 November 1962, System Development Corporation.
- B. TM-(L)-824/000/00, Combined Milestone III and IV for the Bird Buffer Utility Support System, 5 November 1962, System Development Corporation.
- C. N-(L)-19081/002/00*, Modification to COPII for Augmentation, 4 December 1962, System Development Corporation.
- D. TM-(L)-788/000/00, STOUT Milestone IV, 9 November 1962, System Development Corporation.

* Notes (N) are internal SDC documents and are ordinarily not released to outside Companies.

17 January 1963

TM-891/001/00A

DISTRIBUTION LIST
EXTERNAL

Space Systems Division
(Contracting Agency)
 Maj. C. R. Bond (SSOCD)
 Maj. N. D. LeVally (SSOX)
 Technical Data Center

6594th Aerospace Test Wing
(Contracting Agency)
 Lt. Col. A. W. Dill (TWRD) (10)
 Lt. Col. M. S. McDowell (TWRU)
 TWACS (2)

PIR-E1 (Lockheed)
 J. A. Boysen
 N. N. Epstein
 W. E. Moorman
 G. F. Taylor
 R. L. Vader
 P. E. Williams

PIR-E2 (Philco)
 J. A. Bean
 J. A. Isaacs
 R. Morrison
 S. M. Stanley

PIR-E3 (LFE)
 D. F. Criley
 K. B. Williams

PIR-E4 (GE-Santa Clara)
 D. Alexander

PIR-E4 (GE-Sunnyvale)
 J. Farrentine
 N. Kirby

PIR-E4 (GE-Box 8555)
 J. S. Brainard
 R. J. Katucki
 J. D. Selby

PIR-E4 (GE-3198 Chestnut)
 J. F. Butler
 C. A. Cummings
 H. D. Gilman

PIR-E4 (GE-Bethesda)
 A. Pacchioli

PIR-E4 (GE-Box 8661)
 E. T. Clark
 J. D. Rogers
 W. R. Weinrich

PIR-E5 (Aerospace)
 A. Bakst
 R. D. Brandsberg
 B. C. Dove
 L. Garcia
 G. J. Hansen
 M. L. Luther
 T. R. Parkin
 E. E. Retzlaff (5)
 R. G. Stephenson
 V. White

PIR-E8 (Mellonics)
 F. Druding

17 January 1963

TM-891/001/00

DISTRIBUTION LIST
INTERNAL
cont.

<u>NAME</u>	<u>ROOM</u>	<u>NAME</u>	<u>ROOM</u>
Wilson, G. D.	22101	Winter, J. E.	24097
Winsor, M. E.	24137	Wise, R. C.	24051
		Wong, J. P.	Sunnyvale

17 January 1963

TM-891/001/00A

DISTRIBUTION LIST
INTERNAL

<u>NAME</u>	<u>ROOM</u>	<u>NAME</u>	<u>ROOM</u>
Aldana, J.	24113	Key, C. D.	24123
Alexander L. B.	22083	Keyes, R. A.	20073
Alperin, N. I.	24118A	Kneemeyer, J. A.	24065A
Armstrong, E.	24089	Knight, R. D.	24110B
Biggar, D.	24090B	Knight, R. W.	22095
Bilek, R. W.	24124	Kolbo, L. A.	24139
Brenton, L.	22070	Laughlin, J. L.	20073
Busch, R. E.	24065B	LaVine, J.	20079
Bustya, C.	22084	Little, J. L.	20077
Champaign, M. E.	24127B	Long, F.	24122
Chesler, D. J.	22087	Lytton, J. G.	24082B
Ciaccia, B.	24082A	Marioni, J. D.	24076B
Clements, R. F.	24132	Martin, W. P.	24089
Cogley, J. L.	24135	McKeown, J.	24121
Cline, B. J.	24097	Milanese, J. J.	24121
Cooley, P. R.	24083	Munson, J. B.	24048
Crum, D. W.	24093	Myers, G. L.	14056A
DeCuir, L. E.	22096A	Ngou, L.	25030
Derango, W. C.	24077	Olson, M. M.	24124
Dexter, G. W.	24128	Padgett, L. A.	24085
Disse, R. J.	24139	Patin, O. E.	Sunnyvale
Dobbs, G. H.	24094B	Polk, R. W.	24099
Dobrusky, W. B.	22125	Reilly, D.	24085
Dugas, R.	24105	Rothman, S.	22116A
Ellis, R. C.	24081	Scott, R. J.	24093
Erickson, S. R.	24110A	Seacat, C. M.	Sunnyvale
Francis, C. W.	20075	Seiden, H. R.	22091A
Franks, M. A.	25030	Shapiro, R. S.	25026
Friedman, L. A.	22083	Shoel, S. J.	24123
Gale, B.	22124	Skelton, R. H.	24127A
Gergen, V. J.	24109	Speer, N. J.	22116B
Greenwald, I. D.	24058B	Stone, E. S.	22116B
Haake, J. W.	24120	Sweeney, M. J.	24057
Henley, D. E.	24058A	Tennant, T. C.	27024
Hill, C. L.	24057	Thompson, J. W.	22077
Holzman, H. J.	22096B	Totschek, R. A.	24090A
Hudson, G. R.	22101	Tucker, A. E.	24115
Johnson, R. E.	24105	Weems, S.	24115
Kastama, P. T.	24053	Weinstock, M.	22095
Katz, M.	24109	West, G. D.	24117
Kayser, F. M.	25026	West, G. P.	24094A
Keddy, J. R.	25026	Williams, H. D.	24091

UNCLASSIFIED

System Development Corporation,
Santa Monica, California
COMBINED MILESTONE III-IV FOR THE
1604 AUGMENTATION COMMUNICATION
PROGRAMS.

Scientific rept., TM-891/001/00A,
by S. Gardner, H. Frieden, R. Wise,
W. Derango, D. Bigger. 17 January 1963,
10p.. 4 refs.

(Contract AF 19(628)-1648, Space Systems
Division Program, for Space Systems
Division, AFSC) Unclass:

Unclassified report

DESCRIPTORS: Programming (Computers).
Satellite Networks.

UNCLASSIFIED

Modification pages to TM-891/001/00,
"Combined Milestone III-IV for the
1604 Augmentation Communication
Programs," by S. Gardner, H. Frieden,
R. Wise, W. Derango, D. Biggar,
dated 20 December 1962.

UNCLASSIFIED

UNCLASSIFIED